Section 12

References

12 References

Aguilar de Soto N, Rogan E, Ó Cadhla O, Gordon JCD, Mackey M & Connolly N (2004). *Cetaceans and Seabirds of Ireland's Atlantic Margin.* Volume III – Acoustic surveys for cetaceans. Report on research carried out under the Irish Infrastructure Programme (PIP): Rockall Studies Group (RSG) projects 98/6 and 00/13, Porcupine Studies Group project P00/15 and Offshore Support Group (OSG) project 99/38.

Akhmetzhanov AM, Kenyon NH, Ivanov MK, Wheeler AJ, Shashkin PV & van Weering TCE (2003). *Giant carbonate mounds and current-swept seafloors on the slopes of the southern Rockall Trough*. In: J. Mienert, P. Weaver (Eds) European Margin Sediment Dynamics: Side - Scan Sonar and Seismic Images. Springer-Verlag, pp. 203–209.

Alldredge AL, Elias M & Gotschalk CC (1986). Effects of Drilling Muds and Mud Additives on the Primary Production of Natural Assemblages of Marine Phytoplankton. *Marine Environmental Research* **19:** 157 to 176.

Anatec (2008). *Rockall Basin Shipping Study*. Anatec UK Ltd Report A1994. June 2008.

Arramara Teoranta (2007). *Arramara Teoranta. Ireland's Premier Seaweed Processors*. www.arranmara.ie. Accessed April 2007.

Bailey M & Rochford J (2006). Otter Survey of Ireland 2004/2005. Irish Wildlife Manuals, No. 23. National Parks and Wildlife Service, Department of Environment, Heritage and Local Government, Dublin, Ireland.

Bainbridge V (1963). Continuous plankton recorded; contribution towards a plankton atlas of the North Atlantic and the North Sea. VIII Chaetognatha. *Bulletin of Marine Ecology* **6:** 40 to 51.

Baird PH (1990). Concentrations of seabirds at oil-drilling rigs. *The Condor*, **92**: 768 to 771. The Cooper Ornithological Society, 1990.

Bantry Bay Harbour Master (pers comm). *Personal communication with Alec O'Donovan, Bantry Bay Assistant Harbour Master*. May 2007.

Barlow MJ & Kingston PF (2001). Observations on the Effects of Barite on the Gill Tissues of the Suspension Feeder *Cerastoderma edule* (Linne) and the Deposit Feeder *Macoma balthica* (Linne). *Marine Pollution Bulletin*, **42(1):** 71 to 76.

BDC (2007). Summary record of the meeting of the OSPAR Biodiversity Committee(BDC). Brussells, 26th – 30th March 2007. BDC 07/12/1-E. www.ospar.org.

Beaugrand G (2003). Long-term changes in copepod abundance and diversity in the north-east Atlantic in relation to fluctuations in the hydroclimatic environment. *Fisheries Oceanography* **12:** 270 to 283.

Beck T, Vertino A, Meier E, Schiemer I & Beuck L (2004). Fauna and taxonomy: some biological aspects of POS316. In: **Pfannkuche O & Utecht C (eds).** *FS Poseidon Fahrtbericht / Cruise Report POS 316. Carbonate mounds and aphotic corals in the NE-Atlantic*. IFM-GEOMAR.

Bernard HJ & Reilly SB (1999). Pilot whales *Globicephala* Lesson, 1828. In: *Handbook of marine mammals. Volume 6.* The second book of dolphins and the porpoises (eds S.H. Ridgway & R. Harrison), pp. 245 to 279. Academic press, London.

Berrow SD (1994). Incidental capture of elasmobranchs in static gill-net fishery off the south coast of Ireland. *Journal of the Marine Biological Association (UK),* **74:** 837 to 847.

Berrow S (2001). Biological diversity of cetaceans (whales, dolphins and porpoises) in Irish waters. In: J.D. Nunn (ed.), *Marine Biodiversity in Ireland and adjacent waters*. Ulster Museum, Belfast. pp. 115 to 120.

Berrow SD & Heardman C (1994). The basking shark *Cetorhinus maximus* (Gunnerus) in Irish waters - patterns of distribution and abundance. *Biology and Environment: Proceedings of the Royal Irish Academy*, **94B:** 101 to 107.

Berrow SD & Rogan E (1997). Review of cetaceans stranded on the Irish coast, 1901-95. *Mammal Review*, **27:** 51 to 76.

Berrow SD & Whooley P (2008). Basking in the spotlight. *Miol Mor*, **Summer 2008:** 12 to 13.

Berrow SD, Holmes B & Kiely OR (1996). Distribution and abundance of Bottle-nosed dolphins *Tursiops truncatus* in the Shannon Estuary. *Biol. and Env: Proc. Roy. Ir. Acad*. **96B (1):** 1 to 9.

Berrow SD, Whooley P & Ferriss S (2001). Irish whale and dolphin group cetacean sighting schemes. Development of a system to record sightings of cetaceans (whales, dolphins and porpoises) in Irish waters. Report to the Heritage Council (Ireland). Irish Whale & Dolphin Group. 29pp.

Berrow SD, Whooley P & Ferriss S (2002). Irish Whale and Dolphin Group Cetacean Sighting Review (1991-2001). Irish Whale and Dolphin Group. ISBN 0-9540552-1-7. 34 pp.

Bett BJ & Rice AL (1992). The influence of Hexactinellid sponge (Pheronema carpenteri) spicules on the patchy distribution of macrobenthos in the Porcupine Seabight (Bathyal NE Atlantic). Ophelia **36:** 217 to 226.

Billett DMS (1991). Deep sea holothurians. Oceanogr. Mar. Biol. Annu. Rev. **29:** 259 to 317.

Billett DMS & Hansen B (1982). Abyssal aggregations of Kolga hyaline Danielssen & Koren (Echinodermata: Holothuroidea) in the northeast Atlantic Ocean: a preliminary report. Deep Sea Res. **29:** 799 to 818.

BIM (2001). Grey Seal Interactions with Fisheries in Irish Coastal Waters 2001.

BIM (2002). BIM deepwater programme 2001. Executive Report.

BIM (2008a). *Fisheries Management Chart, 2008.* Bord Iascaigh Mhara

BIM (2008b). Bord Iascaigh Mhara – Irish Sea Fisheries Board. www.bim.ie Accessed June 2008.

BIM (pers comm). Personal communication with Dr Oliver Tully, Bord Iascaigh Mhar (BIM). May 2006. Cited in: **ERT (2006a).** First Strategic Environmental Assessment for oil and gas activity in Ireland's offshore Atlantic waters: IOSEA1 Slyne, Erris and Donegal Basins.

Boelens R, Minchin D & O'Sullivan (2005). Climate Change. Implications for Ireland's Marine Environment and Resources. Marine Foresight Series no 2. Marine Institute.

Boelens RGV, Maloney DM, Parsons AP & Walsh AR (1999). Ireland's Marine and Coastal Areas and Adjacent Seas: an environmental assessment. Prepared by the Marine Institute.

Bonner WN (1972). The Grey and Common seal in European waters. Oceanography and Marine Biology Annual Review **10:** 461.

Booth DA & Ellet DJ (1983). The Scottish continental slope current. *Cont. Shelf Res*. **2**: 127 to 146.

Born EW, Andersen LW, Gjertz I & Wiig Ø (2001). A review of the genetic relationships of Atlantic walrus (Odobenus rosmarus rosmarus) east and west of Greenland. Polar Biology **24**: 713 to 718.

Born EW, Gjertz I & Reeves RR (1995). Population assessment of the Atlantic walrus (Odobenus rosmarus rosmarus L.). Norsk Polarinstitutt Meddelelser Nr. 138. 100 pp.

Bowles AE, Smultea M, Wursig B, Demaster DP, Palka, D (1994). Relative abundance and behavior of marine mammals exposed to transmission from the Heard Island feasibility test. Journal of the Acoustical Society of America 96:2469-2484. Cited in **Gordon JCD, Gillespie D, Potter J, Frantzis A, Simmonds M, Swift R & Thompson D (2004).** A Review of the Effects of Seismic Survey on Marine Mammals. Marine Technology Society Journal, **37** (4): 14 to 32.

Branson A (1997). Cetaceans and sea life. British Wildlife **8(4):** 250.

Brongersma LD (1972). European Sea Turtles. Zoologische Verhandelingen - uitgegeven door het rijksmuseum van natuurlijke te Leiden, Nr. 121, Leiden, E.J. Brill

Browne R, Deegan B, O'Caroll T, Norman M & Ó'Cinnéide M (2007). *Status of Irish Aquaculture 2006.* A report prepared by Marine Institute, Bord Iascaigh Mhara & Taighde Mara Teo.

Burrows M & Thorpe S (1999). Drifter observations of the Hebrides slope current and nearby circulation patterns. *Ann. Geophys.* **17**: 280 to 302.

Carr AF (1987). New perspectives on the pelagic stage of marine turtle development. Conservation Biology, **1:** 103 to 121.

CE Delft, Germanischer Lloyd, MARINTEK, Det Norske Veritas (2006). Greenhouse Gas Emissions for Shipping and Implementation Guidance for the Marine Fuel Sulpher Directive. Delft, CE, December 2006. European Commission

CFB (2008). Central Fisheries Board. www.cfb.ie. Accessed June 2008.

Chambers S & Solandt J (2005). MSC Basking Shark Annual Report. A report of sightings gathered from the general public in 2005. Marine Conservation Society.

Chapman PJ & Chapman LL (1982). Otter Survey of Ireland 1980-81. The Vincent Wildlife Trust, London.

Charif RA & Clark CW (2000). Acoustic Monitoring of Large Whales to the West of Britain and Ireland Using Bottom-mounted Hydrophone Arrays, October 1996 - September 1998. JNCC report, no 313.

Clark CW & Charif RA (1998). *Acoustic monitoring of large whales to the west of Britain and Ireland using bottom mounted hydrophone arrays*, *October 1996-September 1997*. JNCC report, no. 281.

Clarke MW, Borges L & Officer RA (2005). Comparisons of trawl and longline catches of deepwater elasmobranchs west and north of Ireland. *J. Northw. Atl. Fish. Sci.* **35:** 429 to 442.

Coles P, Diamond J, Harrop H, MacLeod K & Mitchell J (2001). A report on the whales, dolphins and porpoises of the Bay of Biscay and English Channel 2000. *Orca* **2:** 9 to 61.

Collins M, Yau C, Allcock L & Thurston MH (2001). Distribution of Deep-water Benthic and Bentho-pelagic Cephalopods from the North-east Atlantic. *Journal of the Marine Biological Association of the United Kingdom*, **81:** 105 to 117.

Connolly P (2002). The Deepwater Fisheries of the North East Atlantic with Particular Emphasis on the Exploitation of Orange Roughy (*Hoplostethus atlanticus*). In: Grehan A, Ronan R, Deegan B & Ó Cinneide M (Eds) (2003). The Irish coral task force and Atlantic coral ecosystem study report on two deep-water coral conservation stakeholder workshops held in Galway in 2000 and 2002. *Marine, Environment and Health Series*, no 11. Marine Institute report.

Connolly PL & Kelly CJ (1994). *Sampling surveys for deep-water demersal fish in 1993. Fisheries Leaflet 163,* Department of the Marine.

Connolly PL & Kelly CH (1997). *Deep water trawl and longline surveys in 1995. Fisheries Leaflet 173,* Marine Institute.

Cotton DCF (2007). A critical review of Irish records of walrus *Odobenus rosmarus* (L), with some unpublished observations from Cos Donegal, Sligo. Mayo and Galway. *Irish Naturalists' Journal*, **28:** 349 to 355.

Coull KA, Johnstone R & Rogers SI (1998). *Fisheries Sensitivity Maps in British Waters*. Published and distributed by UKOAA Ltd.

CPR Team (2004). Continuous Plankton Records: Plankton Atlas of the North Atlantic Ocean (1958–1999). II. Biogeographical charts. *Marine Ecology Progress Series* Supplement 11 to 75.

Cranford PJ & Gordon DC (1992). The Influence of Dilute Clay Suspensions on Sea Scallop (*Placopecten magellanicus*) Feeding Activity and Tissue Growth. *Netherlands Journal of Sea Research*, **30:** 107 to 200.

Cranford PJ, Gordon KL Jr, Lee K, Armsworthy SL & Tremblay G-H (1999). Chronic Toxicity and Physical Disturbance Effects of Water and Oil-based Drilling Fluids and Some Major Constituents of Adult Sea Scallops (*Placopecten magellanicus*). *Marine Environmental Research*, **48:** 225 to 256.

Croker PF & O'Loughlin O (1998). A catalogue of Irish offshore carbonate mud mounds. In: Geosphere-biosphere coupling: Carbonate Mud Mounds and Cold Water Reefs. (Ed: De Mol,B) IOC Workshop Report No. 143, 11 (University of Gent, Belgium, 7th-11th February, 1998).

Cronin M & Ó Cadhla O (2004). Aerial surveying of grey seal breeding colonies on the Blasket Islands, Co. Kerry, the Inishkea Group, Co. Mayo and the Donegal coast during the 2003 breeding season. CMRC Report to the National Parks and Wildlife Service.

Cronin M (unpublished). PhD thesis (in progress). Coastal and Marine Resources Centre, University College Cork.

Cronin M, Duck C, Ó Cadhla O, Nairn R, Strong D & O' Keeffe C (2004). *Harbour seal population assessment in the Republic of Ireland: August 2003.* Irish Wildlife Manuals, No. 11. National Parks & Wildlife Service, Department of Environment, Heritage and Local Government, Dublin, Ireland.

DAHGI (1999). *Framework and Principles for the Protection of the Archaeological Heritage. Department of the Arts, Heritage, Gaeltacht and the Islands.* The Stationary Office, Dublin.

Dahlheim ME & Heyning JE (1999). Killer whale *Orcinus orca.* In: *Handbook of marine mammals. Vol. 6. The second book of dolphins and the porpoises* (eds S.H. Ridgway & R. Harrison). Pp. 281 to 322. Academic Press, London.

DAST (2005). *Department of Arts, Sports and Tourism (current policy and context*). www.arts-sport-tourism.gov.ie/tourism/overview.html Accessed May 2007.

Davenport J & Balazs GH (1991). 'Fiery bodies' – are pyrosomas an important component part of the diet of Leatherback turtles? *Brit. Herpetol. Soc. Bull.* **31:** 33 to 38.

Davis RA, Richardson WJ, Theile L, Dietz R & Johansen P (1990). *State of the Arctic Environment Report on Underwater Noise.* Finnish initiative on protection of the Arctic environment.

DCENR (2005). *Statement of Strategy 2005-2007.* Department of Communications, Marine and Natural Resources, Dublin.

DCENR (2008). *Department of Communications, Marine and Natural Resources.* www.dcenr.gov.ie Accessed June 2008.

DCENR (pers comm). *Personal communication with the DCENR, August 2007.*

Deegan B (2004). *Irish Cold-Water Coral Metadata Report. Altemar, Marine Biology and Environmental Consultancy.* Funded by the Marine Institute and the Department of Environment, Heritage and Local Government.

De Mol B (2002). *Development of coral banks in Porcupine Seabight (SW Ireland). A multidisciplinary approach*. Department of Geology and Soil Science. University of Ghent, Ghent, pp 363.

De Mol B, van Rensbergen P, Pillen S, van herreweghe K, van Rooij D, McDonnell A, Huvenne V, Ivanov M, Swennen R & Henriet J-P (2002). Large deep-water coral banks in the Porcupine Basin, southwest of Ireland. *Marine Geology*, 188(1-2), 193 to 231.

den Hartog JC & van Nierop MM (1984). A study of the gut contents of six leathery turtles *Dermochelys coriacea* (Linnaeus) (Reptilia: Testudines: Dermochelydae) from British waters and from the Netherlands. *Zoologische Verhandlingen*, 200. Leiden, Rijksmuseum van Natuurlijke Historie

Dinter (1999). In: *OSPAR/ICES/EEA Workshop on habitat classification and biogeographic regions (Oban, 6-10 September 1999): Summary Record, 60pp.*

DoEHLG (2004). *Implementation of SEA Directive (2001/42/EC): Assessment of the Effects of Certain Plans and Programmes on the Environment Guidelines for Regional Authorities and Planning Authorities***.** Department of Environment, Heritage and Local Government. The Stationery Office, Dublin.

DoEHLG (2006). Interim Review of the National Biodiversity Plan 2002-2006. Department of Environment, Heritage and Local Government. The Stationery Office, Dublin.

DoEHLG (2007a). *Department of Environment, Heritage and Local Government website*. www.environ.ie. Accessed April 2007.

DoEHLG (2007b). *Ireland: National Climate Change Strategy 2007-2012.* Department of the Environment, Heritage and Local Government. April 2007.

DoEHLG (2007c). *Ireland's Fourth National Communication under the United Nations Framework Convention on Climate Change.* Department of the Environment, Heritage and Local Government. April 2007.

Dooley M (1973). Preliminary investigations on the phytoplankton from the west coast of Ireland. *Br. Phycol. J.* **8:** 79 to 94.

Dransfeld L, Dwane O, McCarney C, Kelly CJ, Danilowicz BS & Fives JM (2004). Larval distribution of commercial fish species in waters around Ireland. *Irish Fisheries Investigation* No. 13.

DTI (2000). *Strategic Environmental Assessment of the Former White Zone. Volume 3 – Assessment.* Consultation document. Hartley Anderson report to the Department of Trade and Industry (DTI). Section 4

DTI (2001). *Strategic Environmental Assessment of the Mature Areas of the Offshore North Sea. SEA 2 (Consultation Document).* Report to the UK Department of Trade and Industry.

DTI (2002). *Strategic Environmental Assessment of Parts of the Central and Southern North Sea - SEA 3 (Consultation Document)*. Report to the UK Department of Trade and Industry.

Eckert KL (1995). Leatherback sea turtle, *Dermochelys coriacea*. In: PT Plotkin National Marine Fisheries Service and US Fish and Wildlife Service status reviews for sea turtles listed under the Endangered Species Silver Spring, Maryland, USA, National Marine Fisheries Service. pp. 37 to 75.

Entec (2005). Service Contract on Ship Emissions: Assignment, Abatement and Market-based Instruments. Task 1 - Preliminary Assignment of Ship Emissions to European Countries. A report for European Commission Directorate General Environment by Entec UK Limited, London

EPA (2006a). Ireland's 2004 European Pollutant Emission Register (EPER) Report. EPER 2004 Summary Technical Report 21 November 2006.

EPA (2006b). Ireland's National Allocation Plan 2008 – 2012: As notified to the EU Commission. Environmental Protection Agency, 12 July 2006.

EPA (2008a). Strategic Environmental Assessment Pack. Environmental Protection Agency, May 2008.

EPA (2008b). Ireland's Emissions of Greenhouse Gases for the period 1990-2006. Environmental Protection Agency, July 2008.

ERT (2006a). First Strategic Environmental Assessment for oil and gas activity in Ireland's offshore Atlantic waters: IOSEA1 Slyne, Erris and Donegal Basins. Annex 3 Ecology. Prepared on behalf of the Petroleum Affairs Division.

ERT (2006b). DTI Database of Oil Spill Reports Made from UKCS Offshore Installations and Facilities for the Period 1990 to 2005. A database collated by ERT (unpublished).

ERT (unpublished). Review of the Atlantic Margin Environment. Draft Report ERT A00/108.

ESRI (2005). *Aspects of Irish Energy Policy.* Economic and Social Research Institute, Policy Research Series, no 57.

European Commission (1979). Convention on the Conservation of European Wildlife and Natural Habitats (Berne Convention). Council Decision 82/72/EEC.

European Commission (1982). Bonn Convention on Migratory Species. European Council Decision 82/461/EEC.

European Commission (1992). EC Habitats Directive on the Conservation of Natural Habitats and of Fauna and Flora. Directive 92/43/EEC.

European Commission (2001). Green Paper – Towards a European Strategy for the Security of Energy Supply. Luxembourg: Office for Official Publications of the European Communities 2001, 105 pages. ISBN 92-894-0319-5.

European Commission (2007). European Commission. EU policy on ship emissions. http://europa.eu.int/comm/environment/air/transport.htm#3 Accessed June 2007.

Evans PGH (1980). Cetaceans in British waters. Mammals Rev. **10**: 1 to 52.

Evans PGH (1988). Killer whales (Orcinus orca) in British and Irish waters. Rit Fiskideildar, **11:** 42 to 54.

Evans PGH (1990). European cetaceans and seabirds in an oceanographic context. Lutra **33 (2):** 95 to 125.

Evans PGH (1998). Biology of Cetaceans of the North-east Atlantic (in relation to seismic energy). Seismic and marine mammals workshop, London, 23 to 25 June 1998.

Evans PGH & Nice H (1996). Review of the Effects of Underwater Sound Generated by Seismic Surveys on Cetaceans. Sea Watch Foundation, Oxford.

Expedition Scientists (2005). Modern Carbonate Mounds: Porcupine drilling. Integrated Ocean Drilling Program Expedition 307, 25 April – 30 May 2005. Preliminary Report.

Fairley JS (1981). Irish whales and whaling. Blackstaff Press. Dublin. 218pp.

Ferdelman TG, Kano A, William T & IODP Expedition 307 Scientists (2006). IODP Expedition 307 drills cold-water coral mound along the Irish Continental Margin. Science Reports, Scientific Drilling. Published by the Integrated Ocean Drilling Program with the International Continental Scientifi c Drilling Program. No 2, March 2006.

Forcada J, Aguilar A, Evans PGH & Perrin WF (1990). Distribution of common and striped dolphins in the temperate waters of the eastern North Atlantic. European Research on Cetaceans **4:** 64 to 66.

Frederiksen R, Jensen A & Westerberg H (1992). The distribution of the scleractinian coral Lophelia pertusa around the Faroe Islands and the relation to internal tidal mixing. Sarsia **77:** 151 to 171.

Freiwald A, Fossa JH, Grehan A, Koslow T & Roberts JM (2004). Cold Water Coral Reefs. UNEP-WCMC, Cambridge, UK.

FRS (2007). Fisheries Research Services website. www.marlab.ac.uk Accessed August 2007.

FSS (2004). *Marine Institute Fisheries Science Services Stock Book*. Marine Institute website – http://www.marine.ie

FSS (2006). *Marine Institute Fisheries Science Services Stock Book.* Marine Institute website – http://www.marine.ie.

Fugro GEOS (2001). *West of Ireland Descriptive Regional Climatology. Marine environment desktop study.* Rockall Studies Group, Porcupine Studies Group (Petroleum Infrastructure Programme).

Gage JD (1986). The benthic fauna of the Rockall Trough: regional distribution and bathymetric zonation. *Proc. R. Soc. Edinb* **88B:** 159 to 174.

Gage JD, Billett DSM, Jensen M & Tyler PA (1985). Echinoderms of the Rockall Trough and adjacent areas. 2. Echinoidea and Holothuroidea. *Bull. Br. Mus. Nat. Hist.* (Zool) **48**(4): 173 to 213.

Gage JD, Pearson M, Clark AM, Paterson GLJ & Tyler PA (1983). Echinoderms of the Rockall Trough and adjacent areas. 1. Crinoidea, Asteroidea and Ophiuroidea. *Bull. Br. Mus. Nat. Hist.* (Zool.) **45**(5): 263 to 308.

Galway County Council (2007). *Galway County Council Development Plan.* www.galway.ie. Accessed May 2007.

Games KP (2001). Evidence of shallow gas above the Connemara oil accumulation, Block 26/28, Porcupine Basin. In Shannon PM, Haughton PDW & Corcoran DV (eds), *The Petroleum Exploration of Ireland's Offshore Basins*. Geological Society, London, Special Publications, **188**, 361 to 373.

Gausland I (2003). *Seismic Surveys Impact on Fish and Fisheries.* Report for the Norwegian Oil Industry Association (OLF), Stavanger.

Gaywood MJ (1997). Marine turtles in British and Irish waters. *British Wildlife* **9(2):** 69 to 77

GEM/FOIG (2000). *Environmental Risk Assessment (ERA) of Exploration Drilling Operations in Faeroes Offshore Areas in 2001*. GEM/FOIG Environmental Work Group.

Gilleran J (unpublished). MSc thesis (in progress). National University of Ireland, Galway.

Gisiner RC (1998). Proceeding on *Workshop on the Effects of Anthropogenic Noise in the Marine Environment.* 10 to 12 1998.

Godley B, Gaywood M, Law R, McCarthy C, McKenzie C, Patterson I, Penrose R, Reid R & Ross H (1998). Patterns of marine turtle mortality in British waters 1992-96 with reference to tissue contaminant levels. *Journal of the Marine Biological Association UK* **78:** 973 to 984

Goff GP & Stenson GB (1988). Brown adipose tissue in leatherback sea turtles: a thermogenic organ in an endothermic reptile?. *Copeia* 1,071 to 1,075.

Goold, JC (1996). Acoustic assessment of populations of common dolphin (*Delphinus delphis*) in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom*. **76:** 811 to 820.

Gordon JDM (1986). The fish populations of the Rockall Trough. *Proceedings of the Royal Society of Edinburgh,* **88B,** 191 to 204.

Gordon JDM & Swan SC (1997). *The Distribution and Abundance of Deep-water Sharks on the Continental Slope to the West of the British Isles.* ICES CM 1997/BB:11.

Gordon JDM, Merrett NR, Bergstadt OA & Swan SC (1996). A comparison of the deep-water demersal fish assemblages of the Rockall Trough and Porcupine Seabight, eastern North Atlantic: continental slope to rise. *Journal of Fish Biology,* **49** (Supplement A), 217 to 238.

Gordon J, Berrow SD, Rogan E & Fenneely S (1999). Acoustic and visual survey of cetaceans off the Mullet Peninsula, Co. Mayo. *Ir. Nat. J.* **26(7/8):** 251 to 259.

Gordon JDM, Bergstad OA, Figueiredo I, Menezes G (2003). Deep-water Fisheries of the Northeast Atlantic: I. Description and Current Trends. *Journal of Northwest Atlantic Fishery Science*, **31**: 137-150.

Gordon JCD, Gillespie D, Potter J, Frantzis A, Simmonds M, Swift R & Thompson D (2004). A Review of the Effects of Seismic Survey on Marine Mammals. *Marine Technology Society Journal,* **37 (4):** 14 to 32.

Gowen RJ, Raine R, Dickey-Collas M & White M (1998). Plankton Distributions in Relation to Physical Oceanographic Features on the Southern Malin Shelf, August 1996. *ICES Journal of Marine Science*, **55(6)**: 1,095 to 1,111.

Greenwood A, Nunn J, Holmes JMC, Smith SM, McGrath D & O'Connor BDS (2002). A checklist of invertebrate fauna found between 200 and 2,000 m depth off the coast of Ireland. Part 1: Mollusca, selected Crustacea (Isopoda, Amphipoda, Tanaidacea and Decapoda) and Echinodermata.

Greer AE, Lazell JD & Wright RM (1973). Anatomical evidence for counter-current heat exchanger in the Leatherback turtle (*Dermochelys coriacea*). *Nature* **244:** 181

GSI (2002). *Ground Truthing Programme 2002 Leg 3 - Zones 3C, 3D, 3E, 3F, 3H and West Porcupine.* October 2002 Final Report.

GSI (2007). *INFORMAR/INSS Survey Data*. *GSI Website*. www.gsi.ie. Accessed May 2007.

Haas H, Huvenne V, Wheeler A & Unnithan V (2002). *M2002 Cruise Report: A TOBI sidescan sonar survey of cold water coral carbonate mounds in the Rockall Trough and Porcupine Seabight*. NIOZ, Den Berg.

Hansen LP & Quinn TP (1998). The marine phase of the Atlanic Salmon (*Salmo salar*) life cycle with comparisons to Pacific salmon. *Canadian Journal of Fisheries and Aquatic Science* **55:** 104 to 118.

Harrington R (1990). 1989 survey of breeding herds of common seal Phoca vitulina with reference to previous surveys. Unpublished Wildlife Service Report. Mammal Conservation Section, Research Laboratory, Newtownmountkennedy, Co. Wicklow. 9pp.

Hartley Anderson Ltd (2005). *Deep Water Environment to the West of Ireland*. Report to the Irish Shelf Petroleum Studies Group. Project ISO3/21. Draft report, December 2005.

Hartley JP (1996). Environmental Monitoring of Offshore Oil and Gas Drilling Discharges – A Caution on the Use of Barium as a Tracer. *Marine Pollution Bulletin,* **32 (10):** 727 to 733.

Hartley JP & Bishop JDD (1986). The Macrobenthos of the Beatrice Oilfield, Moray Firth, Scotland. *Proceedings of the Royal Society of Edinburgh,* **91B:** 221 to 245.

Harvey J (1982). θS relationships and water masses in the eastern North Atlantic. *Deep-Sea Res.* **29**: 1021 to 1033.

Hayden T & Harrington R (2001). *Exploring Irish Mammals*. Town House Press.

Hays GC, Houghton JDR, Isaacs C, King RS, Lloyd C & Lovell P (2004). First records of oceanic dive profiles for leatherback turtles, *Dermochelys coriacea*, indicate behavioural plasticity associated with long-distance migration. *Animal Behaviour* **67:** 733 to 743.

Heath MR, Astthorsson OS, Dunn J, Ellertsen B, Gaard E, Gislason A, Gurney WSC, Hind AT, Irigoien X, Melle W, Niehoff B, Olsen K, Skreslet S & Tande KS (2000). Comparative analysis of *Calanus finmarchicus* demography at locations around the Northeast Atlantic. *ICES J. Mar. Sci.* **57:** 1,562 to 1,580.

Henriet JP, De Mol B, Pillen S, Vanneste M, Van Rooij D, Versteeg W, Croker PF, Shannon PM, Unnithan V, Bouriak S & Chachkine P (1998). Gas hydrate crystals may help build reefs. *Nature*, **391:** 648-649.

Holst JC, Shelton R, Holm M & Hansen LP (2000). *Distribution and Possible migration routes of post-smolt Atlantic salmon in the North-east Atlantic*, p. 65 - 74. In Mills, D. (ed.): The ocean life of salmon. Environmental and biological factors influencing survival. Fishing News Books, Blackwell Science Ltd., Oxford 228 pp.

Horwood J (1987). *The Sei Whale*. Academic Press London.

Hovland M, Croker PF and Martin M (1994). Fault-associated seabed mounds (carbonate knolls?) off Western Ireland and North-west Australia. *Marine and Petroleum Geology*, **11:** 232–246.

HSE (2003). *Ship/platform Collision Incident Database (2001)*. Research report 0053. A report prepared by Serco Assurance for the Health and Safety Executive 2003.

Huvenne VAI, de Mol B & Henriet J-P (2003). A 3D seismic study of the morphology and spatial distribution of buried coral banks in the Porcupine Basin, SW of Ireland *Marine Geology*, **198:** 5 to 25.

Huvenne VAI, Beyer A, de Haas H, Dekindt K, Henriet J-P, Kozachenko M, Olu-Le Roy K & Wheeler AJ (2005). The Seabed Appearance of Different Coral Bank Provinces in the Porcupine Seabight, NE Atlantic: results from sidescan sonar and ROV seabed mapping. *In* Freiwald A & Roberts JM (eds). *Cold-water corals and Ecosystems*. Springer-Verlag, Berlin Heidelberg, pp 535 to 569.

IACMST (2006). *Underwater Sound and Marine Life.* Report of the Inter-Agency Committee on Marine Science and Technology (IACMST) Working Group. Report no 6.

ICES (2005a). *Report of the ICES-FAO Working Group on Fishing Technology and Fish Behaviour (WGFTFB), 18-22 April 2005, Rome, Italy.* ICES CM 2005/B:04.

ICES (2005b). *Report of the Working Group on Deep Water Ecology (WGDEC) (Draft).* ICES Advisory Committee on Ecosystems. ICES CM 2005/ACE:0x. Cited in: Hartley Anderson Ltd (2005). *Deep Water Environment to the West of Ireland*. Report to the Irish Shelf Petroleum Studies Group. Project ISO3/21. Draft report, December 2005.

ICES (2006a). *Report of the Working Group on the Biology and Assessment of Deep-Sea Fisheries Resources (WGDEEP).* ICES WGDEEP Report 2006, 2- 11 May 2006, Vigo, Spain.

ICES (2006b*).* *Report of the Working Group on Cephalopod Fisheries and Life History (WGCEPH).* ICES Living Resources Committee ICES CM 2006/LRC: 14.

IODP-USIO (2007). *Integrated Ocean Drilling Program-US Implementing Organisation website*. http://www.iodp-usio.org/. Accessed August 2007.

IEA (2007). *Energy Policies of IEA Countries - Ireland*. Report from the International Energy Agency.

IMDO (2007). *Irish Maritime Development Office.* www.imdo.ie. Accessed May 2007.

IMO (2007). *International Maritime Organisation (IMO).* www.imo.org. Accessed June 2007.

Ingram SN (2000). The ecology and conservation of Bottlenose dolphins in the Shannon Estuary, Ireland. Unpublished PhD thesis, University College Cork. 213pp.

Ingram S, Englund A & Rogan E (2001). An extensive survey of Bottlenose dolphins (*Tursiops truncatus*) on the west coast of Ireland. *Report to the Heritage Council, WLD/2001/42.*

IOC, IHO & BODC (2003). *Centenary Edition of the GEBCO Digital Atlas*. Published on CD-ROM on behalf of the Intergovernmental Oceanographic Commission and the International Hydrographic Organisation as part of the General Bathymetric Chart of the Oceans. British Oceanographic Data Centre, Liverpool. Section 3.

IOOA (1998a). *Offshore environmental appraisal: west of Ireland. Report 3: North Porcupine Basin*. Irish Offshore Operators Association, December 1998.

IOOA (1998b). *Offshore environmental appraisal: west of Ireland. Report 4: South Porcupine Basin.* Irish Offshore Operators Association Environment Committee.

Irish Coast Pilot (2003). Offshore and Coastal Waters Round Ireland and Including Routes to the Irish Sea from Atlantic Ocean Landfalls. The United Kingdom Hydrographic Office.

Irish Naval Service (2008). *Fishing vessel sighting data.* Provided by Naval Supervisory Center (NSC) of the Irish Naval Service, August 2008.

ISA (2007). *Irish Sailing Association*. www.sailing.ie. Accessed May 2007.

ISIO (2007). *Irish Seaweed Industry Organisation* www.isio.ie Accessed April 2007.

Island Oil and Gas Plc (2007). *Island Oil and Gas website.* www.islandoilandgas.com Accessed May 2007.

ISRP (2005). *Impacts of Sakhalin II Phase 2 on Western North Pacific Gray Whales and Related Biodiversity.* A Report of the Independent Scientific Review Panel.

IWDG (2008a). *Irish Whale and Dolphin Group*. www.iwdg.ie. Accessed August 2008.

IWDG (2008b). *IWDG cetacean sightings, provided by David Wall*. August 2008.

IWDG (pers comm). *Personal communication with David Wall, IWDG*. August 2008.

IWEA (2007). *Irish Wind Energy Association.* www.iwea.com Accessed May 2007.

Jenkins KD, Howe S, Sanders BM & Norwood C (1989). Sediment Deposition, Biological Accumulation and Subcellular Distribution of Barium Following the Drilling of an Exploratory Well. In: Engelhardt FR, Ray JP & Gillam AH. *Drilling Wastes.* Proceedings of the 1988 International Conference on Drilling Wastes, Calgary, Alberta, Canada, 587 to 608.

Jensen A & Frederiksen R (1992). The fauna associated with the bank forming deepwater coral *Lophelia pertusa* (Scleractinia) on the Faeroe shelf. *Sarsia,* **77:** 53 to 69.

Jondgard A & Darling K (1977). On the biology of the eastern north Atlantic sei whale *Balaenptera borealis* Lesson. *Rep. Int. Whal. Comm.* (special issue **1**), 121 to 123.

Kastak D & Schusterman RJ (1998). Low-frequency Amphibious Hearing in Pinnipeds: methods, measurements, noise and ecology. *Journal of the Acoustical Society of America*, **103**: 2,216 to 2,228.

Kastak D, Schusterman RJ, Southall BL & Reichmuth CJ (1999). Underwater Temporary Threshold Shift Induced by Octave-band Noise in Three Species of Pinniped. *Journal of the Acoustical Society of America*, **106**: 1,142 to 1,148.

Kastak D, Southall BL, Schusterman RJ & Reichmuth Kastak C (2005). Underwater Temporary Threshold Shift in Pinnipeds: effects of noise level and duration. *Journal of Acoustical Society of America*, **118**: 3,154 to 3,163.

Kavanagh FA (2006). *A taxonomic study on deep-sea Isopoda off the west coast of Ireland with particular emphasis on the family Ischnomesidae.* PhD thesis, National University of Ireland, Galway, 280 pp.

Kelly CJ, Clarke M & Connolly PL (1997). *Catch and discards from a deep-water trawl survey in 1996.* Fishery Leaflet 175, 15pp. Marine Institute.

Kenyon NH, Ivanov MK & Akmetzhanov AM (1998). *Cold water carbonate mounds and sediment transport on the Northeast Atlantic margin. Preliminary results of the geological and geophysical investigations during the TTR-7 cruise of R/V Professor Logachev in co-operation with the CORSAIRES and ENAM2 programs July-August, 1997.* Intergovernmental Oceanographic Commission Technical Series, 52. UNESCO, Paris, France.

Kenyon NH, Akhmetzhanov AM, Wheeler AJ, van Weering TCE, de Haas H & Ivanov MK (2003). Giant Carbonate Mud Mounds in the Southern Rockall Trough. Marine Geology, **195:** 5 to 30. Cited in: Hartley Anderson Ltd (2005). *Deep Water Environment to the West of Ireland*. Report to the Irish Shelf Petroleum Studies Group. Project ISO3/21. Draft report, December 2005.

Kiely O & Myers AA (1998). Grey seal (Halichoerus grypus pup production at the Inishkea Island Group, Co. Mayo, and the Blasket Islands, Co Kerry. Biology and Environment: Proceedings of the Royal Irish Academy **98B (2)**: 113 to 122.

Kiely O, Lidgard D, McKibben M, Connolly N & Baines M (2000). Grey seals: status and monitoring in the Irish and Celtic Seas. *Maritime Ireland/Wales INTERREG Report No. 3. 76pp*.

King GL & Berrow SD (In Press). *Marine turtles in Irish waters.* Occasional Publication of the Irish Naturalists' Journal (in press).

Kingfisher (2008). *Kingfisher Information Service – Cable Awareness*. www.kisca.org.uk Accessed June 2008.

Koslow JA, Boehlert GW, Gordon JDM, Haedrich RL, Lorance P & Parin N. Continental slope and deep-sea fisheries: implications for a fragile ecosystem. *ICES Journal of Marine Science*, **57:** 548 to 557.

Lampitt RS & Anita AN (1997). Particle flux in deep seas: regional characteristics and temporal variability. *Deep Sea Res.* **44:** 1,377 to 1,403.

Lampitt RS, Billett DSM & Rice AL (1986). Biomass of the invertebrate megabenthos from 500-4100 m in the northeastern Atlantic Ocean. *Mar. Bio.* **93:** 69 to 81.

Langton TES, Beckett CL, King GL & Gaywood MJ (1996). Distribution and status of marine turtles in Scottish waters. *Scottish Natural Heritage Research, Survey and Monitoring Report, No. 8.*

Large P, Mainprize B, Cotter J, Van der Kooij J, Warne S & Mills C (2004). *Catches of Blue Ling and Other Deep-water Species to the West of Britain by the MFV Farnella, February - March 2004.* Fisheries Management Group, CEFAS, Lowestoft.

Le Danois E (1948). *Les profondeurs de la mer: trente ans de recherches sur la France sous-marine de large côtes de France.* Paris: Payot, pp. 303.

Learmonth JA, MacLeod CD, Santos MB & Pierce GJ (2006). Potential effects of climate change on marine mammals. *Oceanography and Marine Biology: An Annual Review*, **44:** 431 to 46.

Leatherwood S & Reeves RR (1983). *The Sierra Club handbook of whales and dolphins.* Sierra Club Books. San Francisco. 302pp.

Leopold MF & Couperus AS (1995). Sightings of Atlantic white-sided dolphins *Lagenorhynchus acutus* near the southeastern limit of the known range in the northeast Atlantic. *Lutra* **38:** 77 to 80.

Levin LA & Gooday AJ (2003). The Deep Atlantic Ocean. In: Tyler, P.A. (editor) *Ecosystems of the world, 28: Ecosystems of the Deep Oceans*. Elsevier.

Lockley RM (1966). The distribution of Grey and Common seals on the coasts of Ireland. *Irish Naturalists' Journal,* **15:** 136 to 43.

Longhurst AR & Harrison WG (1988). Vertical nitrogen flux from the oceanic photic zone by diel migrant zooplankton and nekton. *Deep Sea Res,* **35:** 881 to 889.

Longhurst AR, Sathyendranath S, Platt T & Caverhill CM (1995). An estimate of global primary production in the ocean from satellite radiometer data. *J Plankton Research,* **17:** 1,245 to 1,271.

Lorance P & Dupouy H (2001). CPUE abundance indices of the main target species of the French deep-water fishery in ICES Sub-area V-VII. *Fish Res,* **51:** 137 to 149.

Lorance P, Uiblein F & Latrouite D (2002). Habitat, behaviour and colour patterns of orange roughy *Hoplostethus atlanticus* (Pisces: Trachichthyidae) in the Bay of Biscay. *J Mar Biol Assoc UK,* **82:** 321 to 331.

Lordan, C (pers comm). *Personal communications with Colm Lordan, Marine Institute, Ireland*. September 2008.

Lordan C, Collins M A, Burnell G, & Cross TF (1995). *The significance of cephalopods in Irish fisheries*. International Council for the Exploration of the Sea Council Meeting, K: 13, 1-13.

Lordan C, Warnes S, Corss TF & Burnell GM (2001). The distribution and abundance of cephalopod species caught during demersal trawl surveys west of Ireland and in the Celtic Sea. *Irish Fisheries Investigations, No. 8*.

Lunnon R & Reynolds J (1991). *Report on the National Otter Survey of Ireland 1990-91*. Unpublished Report to the Wildlife Branch, Office of Public Works, Dublin.

Lyons DO (2004). *Summary of National Parks & Wildlife Service surveys for common (harbour) seals (Phoca vitulina) and grey seals (Halichoerus grypus), 1978 to 2003.* Irish Wildlife Manuals, No. 13. National Parks & Wildlife Service, Department of Environment, Heritage and Local Government. Dublin, Ireland.

MacAodha P, Brown C & Johnson A (2005). *Methane Hydrate Resource Assessment Offshore Western Ireland.* Department of Earth and Ocean Sciences, NUI Galway, Technical Report to the Irish Petroleum Infrastructure Programme, Project ISO5/02.

Mackey M & Perales I Giménez D (2004). *SEA678 data report for offshore seabird populations.* Coastal and Marine Resources Centre, University College Cork.

Mackey M, Ó Cadhla O, Kelly TC, Aguilar de Soto N & Connolly N (2004a). *Cetaceans and Seabirds of Ireland's Atlantic Margin. Volume I – Seabird distribution, density & abundance.* Report on research carried out under the Irish Infrastructure Programme (PIP): Rockall Studies Group (RSG) projects 98/6 and 00/13, Porcupine Studies Group project P00/15 and Offshore Support Group (OSG) project 99/38.

Mackey M, Perales I, Giménez D & Ó Cadhla O (2004b). *SEA678 data report for offshore cetacean populations.* Coastal and Marine Resources Centre, University College Cork.

MacLeod CM (2005). *Niche Partitioning, Distribution and competition in North Atlantic Beaked Whales.* PhD thesis submitted to the School of Biological Sciences, University of Aberdeen.

MacLochlainn C (2002). *Special Protection Areas for Birds in Ireland.* Dúchas, The Heritage Service, Dublin.

Mallinson JJ (1991). Stranded juvenile loggerheads in the United Kingdom. *Marine Turtle Newsletter* **54:** 14 to 16.

Marine Environmental Monitoring (2007). Marine Standings Network TURTLE – UK and Republic of Ireland strandings database. www.strandings.com. Accessed May 2007.

Masson DG, Bett BJ, Billett DSM, Jacobs CL, Wheeler AJ & Wynn RB (2003). The Origin of Deep-water, Coral-topped Mounds in the Northern Rockall Trough, Northeast Atlantic. *Marine Geology*, **194:** 159 to 180.

Massutí E, Gordon JDM, Moranta J, Swan SC, Stefanescu C & Merrett NR (2004). Mediterranean and Atlantic deep-sea fish assemblages: differences in biomass composition and size related structure. *Scientia Marina* **68(3):** 101 to 115.

Mavor RA, Parson M, Heubecj M & Schmitt S (2005). *Seabird numbers and breeding success in Britain and Ireland, 2004.* Report to the JNCC.

McCann C & Talbot FH (1963). The occurrence of True's beaked whale (*mesoplodon mirus* true) in South African waters with a key to South African species of the genus. *Proc. Linn. Soc. Long.*, **175:** 137 to 144.

McCauley RD (1994). Seismic Surveys. In: *Environmental Implications of Offshore Oil and Gas Development in Australia; the Findings of an Independent Scientific Review* (Eds Swan JM & Young PC). APEA, Sydney.

McCauley RD, Fewtrell J, Duncan AJ, Jenner C, Jenner MN, Penrose JD, Prince RIT, Anita A, Murdoch J & McCabe K (2000). *Marine Seismic Surveys: analysis and propagation of air-gun signals; and effects of air gun exposure on humpback whales, sea turtles, fishes and squid.* Prepared for Australian Petroleum Production Exploration Association.

McClatchie S., Thorne RE, Grimes P & Hanchet S (2000). Ground truth and target identification for fisheries acoustics. *Fisheries Research,* **47:** 173 to 191.

McConnell BJ, Fedak MA, Lovell P & Hommond PS (1999). Movements and Foraging Areas of Grey Seals in the North Sea. *Journal of Applied Ecology*, **36:** 573 to 590.

McDermott G (2003). Distribution of net armoured dinoflagellates in the Continental Shelf waters of the North Eastern Atlantic. Ph. D., NUI Galway.

McKelvie S (1996). Paper 1. The Physical and Biological Effects of Processed Oily Drill Cuttings: Project Overview. E&P Forum Joint Study. *The Physical and Biological Effects of Processed Oily Drill Cuttings (Summary Report)*. E&P Forum Report no 2.61/202 April 1996. METOCEAN plc.

McMahon T, Raine R, Titov O & Boychuk S (1995). Some oceanographic features of northeastern Atlantic waters west of Ireland. *ICES J. Mar. Sci.* **52:** 221 to 232.

Mead JG (1989). Beaked whales of the genus *Mesoplodon*. In: *Handbook of marine mammals. Vol. 4. River dolphins and the larger toothed whales* (eds S.H. Ridgway & R. Harrison). pp. 349 to 430. Academic Press, London.

Merrett NR & Haedrich RL (1997). *Deep-Sea Demersal Fish and Fisheries*. Chapman and Hall, London, 282 pp.

Message from Malahide (2004). Halting the decline of biodiversity – priority objectives and targets for 2010. Stakeholders confeence, Biodiversity and the EU – sustaining, sustaining livelihoods. Malahids, Ireland 25th – 27th May 2004.

Met Eireann (2008). *Met Eireann. The Irish Meteorological Service.* www.met.ie Accessed June 2008.

MFA (2007). *UK fisheries landings data by ICES rectangle.* Provided by the UK Marine and Fisheries Agency, July 2007.

MI (2004). *A National Survey of Water Based Leisure Activities 2003*. November 2004.

MI (2008a). *Irish fisheries landings data by ICES rectangle.* Provided by the Marine Institute, June 2008.

MI (2008b). *Marine Institute.* www.marine.ie. Accessed June 2008.

MIDA (2007). *Marine Irish Digital Atlas (MIDA).* http://mida.ucc.ie Accessed July 2006.

Mohn C, White M & Dransfeld L. (2007). *Flow and water masses in Irish shelf and oceanic waters: properties, variability and aspects of bio-physical coupling.* A contribution to the project 'A simulation and forecasting system for ecosystem dynamics in Irish waters', supported under the Marine RTDI Measure (NDP 2000-2006).

Monteys X, Praeg D, Caloca S & Garcia-Gil S (2008). Iceberg keel marks on the Porcupine and Rockall Banks, NE Atlantic. *AGU, 89*(23), Jt. Assem. Suppl., Abstract OS24A-06.

Moore J, Hobbs G, Elliott R, Nairn R & Partridge K (1997). *The south west coast of Ireland – an environmental appraisal.* pp. 64.

Nakken O (1992). *Scientific Basis for Management of Fish Resources with Regard to Seismic Exploration*. Fisheries and Offshore Petroleum Exploitation, second International conference, Bergen, Norway.

Naylor D, Shannon PM & Murphy N (2002). *Porcupine-Goban region – A Standard Structure Nomenclature System.* Petroleum Affairs Division, Special Publication 1/02.

Neff JM, Hillman RE & Waugh JJ (1989). Bioaccumulation of Trace Metals from Drilling Mud Barite by Benthic Animals. In: *Drilling Wastes.* (Eds: Engelhardt FR, Ray JP & Gillam AH). *Proceedings of the 1988 International Conference On Drilling Wastes*, Calgary, Alberta, Canada, 461 to 479. Section 11

New AL, Barnard S, Herrmann P & Molines JM (2001). On the origin and pathway of the saline flow to the Nordic Seas: insights from models. *Progress in Oceanography* **48:** 255 to 289.

Nixon, E (pers comm). *Personal communications with Eugene Nixon, Marine Institute, Ireland*. August 2008.

North Atlantic Marine Mammal Commission (1995). Report of the third meeting of the Scientific Committee. In: *NAMMCO Annual Report 1995*, NAMMCO, Tromsø, pp. 71 to 127.

North Atlantic Marine Mammal Commission (Undated). *The Atlantic Walrus.*

Northridge S, Tasker ML, Webb A & Williams JM (1995). Distribution and relative abundance of Harbour porpoises (*Phocoena phocoena* L.), White-beaked dolphins (*Lagenorhynchus albirostris* Gray), and Minke whale (*Balaenoptera acutorostrata* Lacepède) around the British Isles. *ICES Journal of Marine Science* **52:** 55 to 66.

NPWS (2007). *Code of Practice for the Protection of Marine Mammals during Acoustic Seafloor Surveys in Irish Waters.* Version 1.1 July 2007.

NPWS (pers comm.). *Personal communication with D O'Donnell, NPWS.* June 2007.

NRC (2004). *Ocean noise and marine mammals.* National Research Council of the National Academies, Washington DC.

NRC (2005). *Marine mammal populations and ocean noise – Determining when noise causes biologically significant effects.* National Research Council of the National Academies, Washington DC.

Ó Cadhla O (pers comm). *Personal communication with Oliver Ó Cadhla, CMRC.*

Ó Cadhla O & Mackey M (2002). *Out of Sight, Out of Mind? Marine Mammals and Seabirds on Ireland's Atlantic Margin.* In: F Convery & J Feehan (eds) Achievement and Challenge – RIO +10 and Ireland. Environmental Institute, University College, Dublin. p423 to 426.

Ó Cadhla O & Strong D (2002). *Grey seal population status at islands in the Inishkea Group, as determined from breeding ground surveys in 2002*. Unpublished report to Dœchas, the Heritage Service.

Ó Cadhla O & Strong D (2003). *Grey seal population status at Islands in the Inishkea Group as determined from breeding ground surveys in 2002*. Unpublished report to the Department of the Environment, Heritage and Local Government. 7pp.

Ó Cadhla O, Brochers DL, Burt ML & Rogan E (2001). Summer distribution and abundance of cetaceans in western Irish waters and the Rockall Trough. *Int Whal Comm Scientific Committee paper* SC/53/015.

Ó Cadhla O, Mackey M, Aguilar de Soto N, Rogan E & Connolly N (2004). *Cetaceans and Seabirds of Ireland's Atlantic Margin. Volume II – Cetacean distribution and abundance*. Report on research carried out under the Irish Infrastructure Programme (PIP): Rockall Studies Group (RSG) projects 98/6 and 00/13, Porcupine Studies Group project P00/15 and Offshore Support Group (OSG) project 99/38.

Ó Cadhla O, Strong D & O'Donnell G (2005). *Grey seal population status in the Slyne Head SAC/SPA and Hen Island, Co Galway as determined from breeding ground surveys in 2004*. Unpublished report to the Department of the Environment, Heritage and Local Government. 7pp.

Ó Cadhla O, Strong D, O'Keeffe C, Coleman M, Cronin M, Duck C, Murray T, Dower P, Nairn R, Murphy P, Smiddy P, Saich C, Hiby L & Lyons D (In Press). *Grey seal breeding population assessment in the Republic of Ireland, 2005*. Published by National Parks & Wildlife Service of the Department of the Environment, Heritage and Local Government. Irish Wildlife Manual Series.

O'Reilly BM, Readman PW & Shannon PM (2001). *TRIM: TOBI Rockall Irish Margins*. Final report, August 2001. Prepared for the Rockall Studies Group Project 97/14a. Dublin Institute for Advanced Studies, Dublin.

O'Reilly BM, Readman PW, Shannon PM & Jacon AWB (2003). A Model for the Development of a Carbonate Mound Population in the Rockall Trough Based on Deep-towed Sidescan Sonar Data. *Marine Geology*, **198:** 55 to 66.

O'Riordan CE, Holmes JMC & Sleeman DP (1984). First recorded occurrence of the Hawksbill Turtle (Eretmochelys imbricata (L)) in Irish waters. *Irish Naturalists Journal* **21(6):** 274 to 5

OSPAR (2000a). *Quality Status Report 2000, Region V – Wider Atlantic*. OSPAR Commission, London. 110pp.

OSPAR (2000b). *Quality Status Report 2000*. OSPAR Commission, London. 108pp.

OSPAR (2000c). *Quality Status Report 2000, Region III – Celtic Seas*. OSPAR Commission, London. 116pp.

OSPAR (2003). OSPAR Commission. Ministerial Meeting of the OSPAR Commission. Bremen Statement. http://www.ospar.org/eng/html/md/Bremen_statement_2003.htm. Accessed June 2007.

OSPAR (2004a). *Initial OSPAR List of Threatened and/or Declining Species and Habitats* (Updated 2004) (Reference Number: 2004-06). OSPAR Commission, London.

OSPAR (2004b). *Polycyclic Aromatic Hydrocarbons (PAHs)*. Hazardous Substances Series. OSPAR Commission, London (2001 Updated). 27pp.

OSPAR (2005a). *Agreement on Background Concentrations for Contaminants in Seawater, Biota and Sediment*. OSPAR Agreement 2005-6.

OSPAR (2005b). *Annual Report on Discharges, Waste Handling and Air Emissions from Offshore Oil and Gas Installations, in 2002-2003*. Offshore Industry Series. OSPAR Commission, London. 47pp.

OSPAR (2005c). Overview of Past Dumping at Sea of Chemical Weapons and Munitions in the OSPAR Maritime Area. Biodiversity Series. OSPAR Commission, London, 13 pp.

OSPAR (2006). *Discharges, Spills and Emissions from Offshore Installations in 2004. Offshore Industry Series*. OSPAR Commission, London. 33pp.

OSPAR (2007a). *Assessment of the impact on the marine environment of offshore oil and gas activity – an overview of monitoring results in the United Kingdom, the Netherlands and Norway*. OSPAR Commission, London. 33pp

OSPAR (2007b). *Discharges, Spills and Emissions from Offshore Installations in 2005. Offshore Industry Series*. OSPAR Commission, London. 6pp.

Outridge PM, Davis WJ, Stewart REA & Born EW (2003). Investigation of the stock structure of Atlantic walrus *(Odobenus rosmarus rosmarus)* in Canada and Greenland using dental Pb isotopes derived from local geochemical environments. *Arctic* **56**: 82 to 90.

Øvrebø LK (2002). *Sediment budget and mass wasting on the slopes flanking the Rockall Basin – Slope architecture and internal stratigraphy.* Annual report 2001-2002 (Year 2 of PhD project). Rockall Studies Group Project No. 99/01.

Øvrebø LK (2005). *Spatial and temporal variations in sedimentary slope processes along the margins of the Rockall Trough, offshore West Ireland*. PhD thesis, National University of Ireland, Dublin.

Øvrebø LK, Haughton, PDW & Shannon PM (2006). A record of fluctuating bottom currents on the slopes west of the Porcubine Bank, offshore Ireland – implications for late Quaternary climate forcing. *Marine Geology* **255:** 279 to 309.

PAD (2001). *Irish Atlantic Margin – Structural Elements Map (with bathymetric features map inserted)*. 1:1,000,000 map. Petroleum Affairs Division, Dublin.

PAD (2006a). *Commercial Handbook. Licensing, Permitting and Gas Marketing in Ireland; an Information Summary for E&P Managers*. Petroleum Affairs Division, Department of Communications, Marine and Natural Resources, Dublin. Under revision.

PAD (2006b). *Petroleum Systems Analysis of the Rockall and Porcupine Basins Offshore Ireland. Digital Atlas*. Petroleum Affairs Division.

PAD (2007) *Rules and Procedures Manual for Offshore Petroleum Exploration and Appraisal Operations Conducted under an Exploration Licence or other Authorisation.* Petroleum Affairs Division, Department of Communications, Marine and Natural Resources, Dublin. Version as at May 2007.

PAD (2008). *Petroleum Affairs Division Online Data Inventory*. www.informatic.ie/paddi/paddi.asp Accessed June 2008.

PAD (pers comm). *Personal communication with the Petroleum Affairs Division (PAD).* July 2008

Parsons A, Barton K, Brown C, Berry A, Curtis J, Emblow C, Hartnett M, Nash S & Rooney S (2004). *Feasibility Study on the Establishment of a Large Scale Inshore Resource Mapping Project.* Marine Institute, 223 pp.

Penhallurick RD (1990). Turtles off Cornwall, the Isles of Scilly and Devonshire. Truro, Cornwall, Dyllansow Pengwella, ISBN 0-9515785-0-2.

Penrose RS & Gander LR (2006). *UK & Eire marine turtle strandings and sightings Annual Report 2005.* Marine Environmental Monitoring report.

Penrose RS (2003). *UK & Eire marine turtle strandings and sightings Annual Report 2002*. Marine Environmental Monitoring report.

Penrose RS (2004). *UK & Eire marine turtle strandings and sightings Annual Report 2003.* Marine Environmental Monitoring report.

Penrose RS (2005). *UK & Eire marine turtle strandings and sightings Annual Report 2004.* Marine Environmental Monitoring report.

Penrose. RS & Gander. LR (2006). *UK & Eire marine turtle strandings and sightings Annual Report 2005*. Marine Environmental Monitoring report.

Penrose. RS & Gander LR (2007). *UK & Eire marine turtle strandings and sightings Annual Report 2006*. Marine Environmental Monitoring report.

Perrin WF, Leatherwood S & Collett A (1994). Fraser's dolphin *Lagenodelphis hosei* Fraser, 1956. In: *Handbook of marine mammals* (eds S.H. Ridgway & R. Harrison). Pp. 225 to 240. Academic pres, London.

Pfannkuche O & Utecht C (eds) (2005). *FS Poseidon Fahrtbericht / Cruise Report POS 316. Carbonate mounds and aphotic corals in the NE- Atlantic*. IFM-GEOMAR.

Pfannkuche O (1985). The deep sea meiofauna of the Porcupine Seabight and abyssal plain (NE Atlanitc): population structure, distribution, standing stocks. *Oceanologica Acta* **8:** 343 to 353.

Pierpoint C & Penrose RS (1999). *TURTLE: A Database of Marine Turtle Records for the United Kingdom & Eire, Version 1 (Oct. 1999): Introduction, Data Summary & User Notes*. (Contractor: Marine Environmental Monitoring, Llechryd.). Unpublished report to English Nature

Pierpoint C (2000). *Bycatch of marine turtle in UK and Irish waters.* JNCC report, no. 310.

Planque B & Batten D (2000). *Calanus finmarchicus* in the North Atlantic: the year of *Calanus* in the context of interdecadal change. *ICES Journal of Marine Science* **57:** 1,528 to 1,535.

Planque B & Taylor AH (1998). Long-term changes in zooplankton and the climate of the North Atlantic. *ICES Journal of Marine Science* **55:** 644 to 654.

Pollock C, Reid JB, Webb A & Tasker ML (1997). *The distribution of seabirds and cetaceans in the waters around Ireland.* JNCC Report, No. 267.

Pollock CM, Mavor R, Weir CR, Reid A, White RW, Tasker ML, Webb A & Reid JB (2000). *The distribution of seabirds and marine mammals in the Atlantic Frontier, north and west of Scotland. Seabirds & Cetaceans.* Joint Nature Conservation Committee

Postle-Hacon M (2002). *RSG Project 00/07: Bathymetry Integration of NW Atlantic Data*. Hydrosearch Associates Limited, Woking.

Quinn R (2005). *Acquisition and Interpretation of Geophysical Data for Archaeological Assessment During Oil Industry Geophysical Route and Site Surveys in Water Depths Exceeding 50 m.* Report produced on behalf of ISPSG (contract no 01.24.2004) for the Petroleum Infrastructure Programme.

Raine R & McMahon T (1998). Physical dynamics on the continental shelf off southwestern Ireland and their influence on coastal phytoplankton blooms. *Continental Shelf Research* **18 (8):** 883 to 914.

Raine R, McMahon T & Roden C (1993). A review of the summer phytoplankton distribution in Irish coastal waters: a biogeography related to physical oceanography. Cited in: Costelloe MJ & Kelly KS (eds). *Biogeography of Ireland:past, present, and future.* Occ Publ. Ir Biogeog Soc.

Raine R, White M & Dodge J (2002). The summer distribution of net plankton dinoflagellates and their relation to water movements in the NE Atlantic Ocean, west of Ireland. *Journal of Plankton Research* **24:** 1,131 to 1,147.

Rehberg M& Small R (2001). *Dive Behaviour, Haul-out patterns and Movements of Harbour Seal Pups in the Kodiak Archipelago. In* Harbour seal investigations in Alaska. Annual Report for NOAA. Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK, 209 to 238.

Reid J, Evans PGH & Northridge S (Eds). 2003. *An atlas of cetacean distribution on the northwest European continental shelf*. Joint Nature Conservation Committee, Peterborough.

Rice AL (1986). *British Oceanographic Vessels*. Ray Society Publication, UK.

Rice AL (undated). *The benthic fauna of the continental slope to the west of Ireland*. RSG Report, R00/15. PIP, Dublin.

Rice AL, Aldred RG, Darlington E & Wild RA (1982). The quantitative estimation of the deep sea benthos: a new approach to an old problem. *Oceanol Acta* **5:** 63 to 72.

Rice AL, Thutston MH & New AL (1990). Dense aggregations of a hexactinellid sponge, *Pheronema carpenteri*, in the Porcupine Seabight (Northeast Atlantic Ocean) and possible causes. *Progress in Oceanography*, **24:** 1 to 4.

Rice AL, Billett DSM, Thurston MH & Lampitt RS (1991). The Institute of Oceanographic Sciences Biology Programme in the Porcupine Seabight: Background and General Introduction. *J Mar Biol Ass UK,* **71:** 281 to 310.

Richardson WJ, Greene CR, Malme CI & Thomson DH (1995). *Marine Mammals and Noise*. Academic Press Ltd, London.

Robinson M, McBride H, McBride P, Allen B, Hayes M & Tully O (2007). *Monitoring catch and effort in the developing deep-water red crab (Chaceon affinis) fishery: reviewing options for assessment and management of this novel Irish resource.* National Development Plan Project no. 04.SM.T1.03.

Roche C, Clarke S & O'Connor B (2005). Inventory of Irish marine wildlife publications. *Irish Wildlife Manuals*, No. 16. National Parks and Wildlife Service, Department of Environment, Heritage and Local Government, Dublin.

Roden C & Raine R (1994). Phytoplankton blooms and a coastal thermocline boundary along the west coast of Ireland. *Estuar Coast Shelf Sci,* **39:** 511 to 526.

Roden C (1984). The 1980/1981 phytoplankton cycle in the coastal waters off Connemara, Ireland. *Estuar Coast Shelf Sci,* **18:** 485 to 497.

Rogers AD (1999). The biology of *Lophelia pertusa* (Linnaeus, 1758) and other deep-water reef-forming corals and impacts from human activities. *Int. Rev. Hydrobiol.,* **84**: 315 to 406.

Ross GJB (1969). Evidence for a southern breeding population of True's beaked whale. *Nature* London **222:** 585.

SAMS (2007). *Scottish Association for Marine Science (SAMS).* www.sams.ac.uk. Accessed August 2007.

Scollick A (1999). *Ireland –emerald isle or oiled isle?.* The Irish Government's failure to adequately assess the environmental impacts of offshore oil and gas exploration and production (with particular relevance to the Atlantic Frontier west of Ireland).

Sea Around Us Project (2006). *Sea Around Us Project.* www.seaaroundus.org Accessed February 2006.

Sears R (1983). A glimpse of blue whale feeding in the Gulf of St. Lawrence. *Whalewatcher* **17:** 12 to 14.

SEI (2007). *Sustainable Energy Ireland.* www.sei.ie Accessed May 2007.

Selzer LA & Payne PM (1988). The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. *Mar. Mamm. Sci.* **4:** 141 to 153.

Shannon Dolphin and Wildlife Foundation (2007). *Shannon Dolphin and Wildlife Foundation*. www.shannondolphins.ie. Accessed May 2007.

Shannon PM, O'Reilly BM, Readman PW, Jacob AWB & Kenyon N (2001). *Slope Failure Features on the Margins of the Rockall Trough.* In Shannon PM, Haughton PDW & Corcoran D (eds). The Petroleum Exploration of Ireland's Offshore Basins. Geological Society, London, Special Publication, **188**.

Shapiro GI & Hill AE (1997). Dynamics of dense water cascades at the shelf edge. *Journal of Physical Oceanography,* **27:** 2,381 to 2,394.

Shelton RGJ JC, Holst WR, Turrell JC, MacLean IS, McLaren & Nicoll NT (1997). Records of post-smolt Atlantic salmon, *Salmo salar* L., in the Faroe-Shetland Channel in June 1996. *Fisheries Research 31*:159-162.

Sigurjonsson J (1995). On the life history and autecology of North Atlantic rorquals. In: *Whales, seals, fish and man* (eds Blix AS, Walløe L & Ulltang Ø). Pp. 425-441. Elsevier Science, New York.

Silke J, O'Beirn F & Cronin M (2005). *Karinia mikimotoi*: an exceptional dinoflagellate bloom in Western Irish waters, Summer 2005. Marine Institute, Marine Environment and Health Series, no. 21.

Simmonds M, Dolman S & Weilgart L (2003). *Oceans of Noise: A WDCS Science report*. Whale and Dolphin Conservation Society.

Sims DW, Southall EJ, Richardson AJ, Reid PC, & Metcalfe JD (2003). Seasonal movements and behaviour of basking sharks from archival tagging: No evidence of winter hibernation. *Marine Ecology Progress Series* **248:** 187 to 196.

Sims DW, Southall EJ, Metcalfe JD & Pawson MG (2005). *Basking Shark Population Assessment.* Final project report for the Global Wildlife Division of DEFRA.

SINTEF (2004). *SINTEF Offshore Blowout Database*. http://www.sintef.no. Accessed January 2005.

Southall EJ, Sims DW, Metcalfe JD, Doyle JI, Fanshawe S, Lacey C, Shrimpton J, Solandt J & Speedie CD (2005). Spatial Distribution Patterns of Basking Sharks on the European Shelf: preliminary comparison of satellite-tag geolocation, survey and public sightings data. *Journal of the Marine Biological Association UK*, **85:** 1,083 to 1,088.

Spotila JR, Dunham AE, Leslie AJ, Steyermark A, Plotlin PT & Paladino FV (1996). Worldwide population decline of *Dermochelys coriacea*: are Leatherback turtles going extinct?. *Chelonian Conservation and Biology* **2:** 209 to 222.

Stemp R (1985). Observations on the Effects of Seismic Explorations on Seabirds. Cited in: Turnpenny AWH & Newell JR (1994). *The Effects on Marine Fish, Diving Mammals and Birds of Underwater Sound Generated by Seismic Surveys*. Fawley Aquatic Research Laboratories Ltd.

Stone CJ (2003). *The effects if seismic activity on marine mammals in UK waters, 1998-2000*. Report No 323. Joint Nature Conservation Committee, Aberdeen.

Stone CJ, Webb A, Barton C, Ratcliffe N, Reed TC, Tasker ML, Camphuysen CJ & Pienkowski MW (1995). *An Atlas of Seabird Distribution in North-west European Waters.* Joint Nature Conservation Committee, Peterborough.

Stowasser G, Pierce GJ, Wang J & Santos MB (2004). *An Overview of Cephalopods Relevant to the SEA 5 Area.* A review on behalf of the Department of Trade and Industry.

Summers CF (1980). *The grey seal, Halichoerus grypus, in NW Ireland.* Unpublished report to the Minister of Fisheries, Forestry and Wildlife.

Summers CF (1983). *The grey seal, Halichoerus grypus, in Ireland.* Unpublished report to the Minister of Fisheries, Forestry and Wildlife.

Summers CF, Warner PJ, Nairn RGW, Curry MG & Flynn J (1980). An assessment of the status of the Common seal *Phoca vitulina* in Ireland. *Biological Conservation* **17 (2):** 115 to 123.

Sustainable Energy Ireland (2006). *Security of Supply Metrics*. First report 2006. Report from the Energy Policy Statistical Support Unit, Sustainable Energy Ireland.

Sustainable Energy Ireland (2007). *Security of Supply in Ireland*. Energy Policy Statistical Support Unit, Sustainable Energy Ireland.

Swift R (1998). The *effects of array noise on cetacean distribution and behavior*. MSc Thesis, University of Southampton, Department of Oceanography. Cited in **Gordon JCD, Gillespie D, Potter J, Frantzis A, Simmonds M, Swift R & Thompson D (2004).** A Review of the Effects of Seismic Survey on Marine Mammals. *Marine Technology Society Journal,* **37 (4):** 14 to 32.

Tett P (1992). The ecology of plankton in Scottish coastal waters. *Proceedings of the Royal Society of Edinburgh* **100B:** 27 to 54.

Thompson D (1998). *Biology of seals of the north-east Atlantic in relation to seismic surveys*. Paper presented at the seismic and marine mammals workshop, 23-25 June 1998, London.

Thompson D, Sjoberg M, Bryant ME, Lovell P, Bjorge A (1998). *Behavioral and physiological responses of harbour (Phoca vitulina) and grey (Halichoerus grypus) seals to seismic surveys*. Report to European Commission of BROMMAD Project. MAS2 C7940098. Cited in **Gordon JCD, Gillespie D, Potter J, Frantzis A, Simmonds M, Swift R & Thompson D (2004).** A Review of the Effects of Seismic Survey on Marine Mammals. *Marine Technology Society Journal,* **37 (4):** 14 to 32.

Thompson PM & Harwood J (1990). Methods for estimating the population size of common seals, Phoca vitulina. *J. Appl. Ecol* **27**: 924 to 938.

Thompson PM, Miller D, Cooper R & Hammond PS (1994). Changes in the Distribution and Activity of Female Harbour Seals During the Breeding Season: implications for their lactation strategy and mating patterns. *Journal of Applied Ecology* **63**: 24 to 30.

Thorpe SA & White M (1988). A deep intermediate nepheloid layer. *Deep Sea Research*, **35:** 1,665 to 1,671.

Turnpenny AWH & Nedwell JR (1994). *The Effects on Marine Fish, Diving Mammals and Birds of Underwater Sound Generated by Seismic Surveys.* Report from Fawley Aquatic Research Laboratories Ltd, FCR 089/94.

Tyler PA & Zibrowius H (1992). Submersible observations of the invertebrate fauna of the continental slope southwest of Ireland (NE Atlantic Ocean). *Oceanologica Acta,* **15(2):** 211 to 226.

Tyrell L (2001). *Metal Analysis of Surface Sediment Samples Collected for the Rockall Studies Group (RSG) in the Rockall Trough*. RSG Project 98/26. Final report. Marine Institute, Galway.

UKHO (2008). *United Kingdom Hydrographic Office.* www.ukho.gov.uk. Accessed July 2008.

UNEP (1997). *Environmental Management in Oil and Gas Exploration and Production. An Overview of Issues and Management Approaches.* Joint E&P Forum/UNEP Technical Publication.

Unnithan V & Shannon P (2003). *Occurrence of Carbonate and other Mounds in the SEA7 Region of the Atlantic Margin*. SEA7 Report.

van Aken HM & Becker G (1996). Hydrography and Through-Flow in the North-Eastern North Atlantic Ocean: The NANSEN Project. *Prog. Oceanogr.* **38** (4): 297 to 346.

van Weering TCE, De Haas H, Akhmetzanov AM & Kenyon NH (2003). *Giant carbonate mounds along the Porcupine and SW Rockall Trough Margins*. In J. Mienert, P. Weaver (Eds) European Margin Sediment Dynamics: Side - Scan Sonar and Seismic Images. Springer-Verlag, pp.211–216.

Wall D (2006). *Cetacean Distribution and Relative Abundance Survey during FSS Deep Water Survey 2006.* Unpublished Report to the Marine Institute, Oranmore, Galway, Ireland.

Wall D (2007). *Cetacean Distribution and Relative Abundance Survey during FSS Deep Water Survey 2007.* Unpublished Report to the Marine Institute, Oranmore, Galway, Ireland.

Wall D, O' Brien J, Meade J &Allen BM (2006). Summer distribution and relative abundance of cetaceans off the west coast of Ireland. Biology and Environment. *Proceedings of the Royal Irish Academy*, **106B:** 135 to 142.

Warner PJ (1983). An assessment of the breeding populations of common seals (*Phoca vitulina vitulina* L.) in the Republic of Ireland during 1979. *Ir. Nat. J.* **21**: 24 to 26.

Warner PJ (1984). Report on the census of common seals (*Phoca vitulina vitulina*) in the Repubic of Ireland during 1984. Unpublished report to the Forestry & Wildlife Service.

Webb A, Harrison NM, Leaper GM, Steele RD, Tasker ML & Pienkowski W (1990). *Seabird Distribution West of Britain.* Final report of Phase 3 of the Nature Conservancy Council Seabirds at Sea Project November 1986 to March 1990. Nature Conservancy Council, Aberdeen.

Webb A, Stronach A, Tasker ML & Stone CJ (1995). *Vulnerable Concentrations of Seabirds South and West of Britain.* Joint Nature Conservation Committee, Peterborough.

Whale Watch (2007). *Whale Watch Cork.* http://www.whalewatchwestcork.com/whale-conservation.html. Accessed May 2007.

Wheatley SB, Connelly PL, Woods F, Keatinge M & Doherty M (1999). The State of Fish Stokes of Cod, Whiting, Sole and Plaice on the West and Southwest Coasts of Ireland. *Irish Fisheries Investigations*, no 3.

Wheeler A, Gault J, Kozachenko M, de Haas H & Huvenne V (2003). *The Porcupine and Rockall Margin TOBI Regional Side-scan Survey: PSG 00/019*. Submitted to Porcupine Studies Group. Final Report, December 2003.

Wheeler A (1969*).* *The Fishes of the British Isles and Northwest Europe.* MacMillan, London.

Whilde A (1993). *Threatened Mammals, Birds, Amphibians and Fish in Ireland - Irish Red Data Book 2: Vertebrates.* HMSO, Belfast.

White J, O'Boyle S, Dransfeld L, O'Maoileidigh N, Monaghan E, Westbrook G & Cheileachair ON (2002). *Oceanographic Data Coverage of the Northeast Atlantic 1970-2000*. Marine Institute, Galway.

White J, O'Boyle S, Dransfeld L, O'Maoileidigh N, Monaghan E, Westbrook G & Cheileachair ON (2002). *Oceanographic Data Coverage of the Northeast Atlantic 1970-2000*. Marine Institute, Galway.

White M & Bowyer P (1997). The Shelf Edge Current northwest of Ireland. *Annales Geophysicae* **15:** 1,076 to 1,083.

White M (2003). Comparison of Near Seabed Currents at Two Locations in the Porcupine Sea Bight – Implications for Benthic Fauna. *Journal of the Marine Biological Association of the United Kingdom*, **83:** 683 to 686.

White M (2007). Benthic dynamics at the carbonate mound regions of the Porcupine Sea Bight continental margin. *Int. J. Earth Sci. (Geol. Rundsch)* **96:** 1 to 9.

White M, Mohn C & Orren M (1998). Nutrient distribution across the Porcupine Bank. *ICES Journal of Marine Science* **55:** 1,082 to 1,094.

White (pers comm). *Personal communication with Dr. Martin White, Earth & Ocean Sciences, National University of Ireland, Galway.* May 2008.

Wiese FK, Montevecchi WA, Davoren GK, Huettmann F & Diamond AW (2001). Seabirds at Risk around Offshore Oil Platforms in the North-west Atlantic. *Marine Pollution Bulletin*, **42:** 1,285 to 1,290.

Wolski LF, Anderson RC, Bowles AE & Yochem PK (2003). Measuring Hearing in the Harbour Seal (*Phoca vitulina*): comparison of behaviour and auditory brainstem response techniques. *Journal of the Acoustical Society of America*, **113:** 629 to 637.

Wood E, Hoagland-Grey H & Smith J (1996). The *west coasts of Ireland: an environmental appraisal.* Published jointly by Texaco, Enterprise Oil Plc, Kerr-McGee Oil (UK) Plc and Statoil (UK) Ltd.

WWF (2001). *Implementation of the EU Habitats Directive Offshore: Natura 2000 sites for reefs and submerged sandbanks*. Volume II Northeast Atlantic and North Sea.